

C1 Controls and Latin-1 Supplement

Range: 0080–00FF

This file contains an excerpt from the character code tables and list of character names for
The Unicode Standard, Version 17.0 BETA REVIEW DRAFT

This file may be changed at any time without notice to reflect errata, or other updates to the Unicode Standard.

See <https://www.unicode.org/errata/> for an up-to-date list of errata.

See <https://www.unicode.org/charts/> for access to a complete list of the latest character code charts. See
<https://www.unicode.org/charts/PDF/Unicode-17.0/> for charts showing only the characters added in Unicode 17.0. See
<https://www.unicode.org/Public/17.0.0/charts/> for a complete archived file of character code charts for Unicode 17.0. See
<https://www.unicode.org/charts/About.html#Conventions> for conventions used in these code charts, and other general information.

Disclaimer

These charts are provided as the online reference to the character contents of the Unicode Standard, Version 17.0 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of The Unicode Standard, Version 17.0, online at <https://www.unicode.org/versions/Unicode17.0.0/>, as well as the Unicode Standard Annexes, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available online.

See <https://www.unicode.org/ucd/> and <https://www.unicode.org/reports/>

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts.

See <https://www.unicode.org/charts/fonts.html> for a list.

Terms of Use

© 1991–2025 Unicode, Inc. This publication is protected by copyright, and permission must be obtained from Unicode, Inc. prior to any reproduction, modification, or other use not permitted by the Terms of Use (<https://www.unicode.org/copyright.html>). Specifically, you may make copies of this publication and may annotate and translate it solely for personal or internal business purposes and not for public distribution, provided that any such permitted copies and modifications fully reproduce all copyright and other legal notices contained in the original. You may not make copies of or modifications to this publication for public distribution, or incorporate it in whole or in part into any product or publication without the express written permission of Unicode.

The Unicode Consortium specifically grants ISO a license to produce such code charts with their associated character names list to show the repertoire of characters for that standard, as a normatively referenced, integral part of that standard.

Unicode uses most fonts under restricted license from the original font owner. You may not extract, copy, modify, or distribute fonts or font data from any Unicode Products, including this publication, without license from the font owner. Use of all Unicode Products, including this publication, is governed by the Unicode Terms of Use (<https://www.unicode.org/copyright.html>). The authors, contributors, and publishers have taken care in the preparation of this publication, but make no express or implied representation or warranty of any kind and assume no responsibility or liability for errors or omissions or for consequential or incidental damages that may arise therefrom. This publication is provided “AS-IS” without charge as a convenience to users.

Unicode and the Unicode Logo are registered trademarks of Unicode, Inc., in the United States and other countries.

	008	009	00A	00B	00C	00D	00E	00F
0	[XXX] 0080	[DCS] 0090	[NB SP] 00A0	○ 00B0	À 00C0	Ð 00D0	à 00E0	ð 00F0
1	[XXX] 0081	[PU1] 0091	í 00A1	± 00B1	Á 00C1	Ñ 00D1	á 00E1	ñ 00F1
2	[BPH] 0082	[PU2] 0092	¢ 00A2	² 00B2	Â 00C2	Ò 00D2	â 00E2	ò 00F2
3	[NBH] 0083	[STS] 0093	ƒ 00A3	³ 00B3	Ã 00C3	Ó 00D3	ã 00E3	ó 00F3
4	[IND] 0084	[CCH] 0094	¤ 00A4	‘ 00B4	Ä 00C4	Ô 00D4	ä 00E4	ô 00F4
5	[NEL] 0085	[MW] 0095	¥ 00A5	µ 00B5	Å 00C5	Õ 00D5	å 00E5	õ 00F5
6	[SSA] 0086	[SPA] 0096	 00A6	¶ 00B6	Æ 00C6	Ö 00D6	æ 00E6	ö 00F6
7	[ESA] 0087	[EPA] 0097	§ 00A7	• 00B7	Ç 00C7	× 00D7	ç 00E7	÷ 00F7
8	[HTS] 0088	[SOS] 0098	.. 00A8	¤ 00B8	È 00C8	Ø 00D8	è 00E8	ø 00F8
9	[HTJ] 0089	[XXX] 0099	© 00A9	¹ 00B9	É 00C9	Ù 00D9	é 00E9	ù 00F9
A	[VTS] 008A	[SCI] 009A	a 00AA	œ 00BA	Ê 00CA	Ú 00DA	ê 00EA	ú 00FA
B	[PLD] 008B	[CSI] 009B	« 00AB	» 00BB	Ë 00CB	Û 00DB	ë 00EB	û 00FB
C	[PLU] 008C	[ST] 009C	¬ 00AC	¼ 00BC	Ì 00CC	Ü 00DC	ì 00EC	ü 00FC
D	[RI] 008D	[OSC] 009D	[SHY] 00AD	½ 00BD	Í 00CD	Ý 00DD	í 00ED	ý 00FD
E	[SS2] 008E	[PM] 009E	(R) 00AE	¾ 00BE	Î 00CE	Þ 00DE	î 00EE	þ 00FE
F	[SS3] 008F	[APC] 009F	— 00AF	¿ 00BF	Ï 00CF	ß 00DF	ï 00EF	ÿ 00FF

C1 controls*Alias names are those for ISO/IEC 6429:1992.*

0080	XXX	<control>
0081	XXX	<control>
0082	BSP	<control> = BREAK PERMITTED HERE → 200B ZWSP zero width space
0083	NBSP	<control> = NO BREAK HERE → 2060 WJ word joiner
0084	IND	<control> • formerly known as INDEX
0085	NEL	<control> = NEXT LINE (NEL)
0086	SSA	<control> = START OF SELECTED AREA
0087	ESA	<control> = END OF SELECTED AREA
0088	HTS	<control> = CHARACTER TABULATION SET
0089	HTJ	<control> = CHARACTER TABULATION WITH JUSTIFICATION
008A	VTS	<control> = LINE TABULATION SET
008B	PLD	<control> = PARTIAL LINE FORWARD
008C	PLU	<control> = PARTIAL LINE BACKWARD
008D	RI	<control> = REVERSE LINE FEED
008E	SS2	<control> = SINGLE SHIFT TWO
008F	SS3	<control> = SINGLE SHIFT THREE
0090	DCS	<control> = DEVICE CONTROL STRING
0091	PUT	<control> = PRIVATE USE ONE
0092	PUS	<control> = PRIVATE USE TWO
0093	STS	<control> = SET TRANSMIT STATE
0094	CCM	<control> = CANCEL CHARACTER
0095	MW	<control> = MESSAGE WAITING
0096	SPA	<control> = START OF GUARDED AREA
0097	EPA	<control> = END OF GUARDED AREA
0098	SOS	<control> = START OF STRING
0099	XXX	<control>
009A	SCI	<control> = SINGLE CHARACTER INTRODUCER
009B	CSI	<control> = CONTROL SEQUENCE INTRODUCER
009C	ST	<control> = STRING TERMINATOR
009D	OSC	<control> = OPERATING SYSTEM COMMAND
009E	PM	<control> = PRIVACY MESSAGE

009F APC <control>

= APPLICATION PROGRAM COMMAND

Latin-1 punctuation and symbols*Based on ISO/IEC 8859-1 (aka Latin-1) from here.*

00A0 NBSP NO-BREAK SPACE

- commonly abbreviated as NBSpace
 - should be the same width as the space
- 0020 SP space
→ 0020 SP space
→ 2007 FSP figure space
→ 202F NNBS narrow no-break space
→ 2060 WJ word joiner
→ 237D L shoulder open box
→ FEFF FZWN zero width no-break space
≈ <noBreak> 0020 SP

00A1 ! INVERTED EXCLAMATION MARK

- Spanish, Asturian, Galician
 - used in extended IPA to represent sublaminal lower alveolar percussive
- 0021 ! exclamation mark
→ A71E i modifier letter raised inverted exclamation mark

00A2 ¢ CENT SIGN

- 023C ¢ latin small letter c with stroke
→ 20A5 M mill sign
→ 20B5 ¢ cedi sign
→ 1D135 ¢ musical symbol cut time

00A3 £ POUND SIGN

- = pound sterling, Irish punt, lira, etc.
- not to be confused with the unit of weight
 - glyph may have one or two crossbars, in distinction from 20A4 ¤
- 20A4 £ lira sign
→ 20B4 ¢ turkish lira sign
→ 10192 ¤ roman semuncia sign

00A4 ₣ CURRENCY SIGN

- generic or unknown currency
 - other currency symbol characters start at 20A0 ₧
- 0024 \$ dollar sign

00A5 ¥ YEN SIGN

- = yuan sign (renminbi)
- glyph may have one or two crossbars, but the official symbol in Japan and China has two
 - in native context, specific ideographs may be used for units of these currencies
- 024E ¥ latin capital letter y with stroke
→ 04B0 й cyrillic capital letter straight u with stroke
→ 5143 元
→ 5186 円

00A6 ! BROKEN BAR

- = broken vertical bar (1.0)
= parted rule (in typography)
- 007C I vertical line

00A7 § SECTION SIGN

- used in referencing numbered sections or paragraphs
- 2E39 § top half section sign

00A8 .. DIAERESIS

- this is a spacing character
- 0308 ö combining diaeresis
≈ 0020 SP 0308 ö

00A9	© COPYRIGHT SIGN → 2117 Ⓛ sound recording copyright → 24B8 © circled latin capital letter c → 1F12F Ⓜ copyleft symbol → 1F1AD ⓔ mask work symbol	00B4	' ACUTE ACCENT • this is a spacing character → 0060 ` grave accent → 02B9 ' modifier letter prime → 02CA ' modifier letter acute accent → 02DD '' double acute accent → 0301 ő combining acute accent → 0384 ' greek tonos → 1FFD ' greek oxia → 2032 ' prime ≈ 0020 [sp] 0301 ő
00AA	ª FEMININE ORDINAL INDICATOR • Spanish → 1D43 ª modifier letter small a ≈ <super> 0061 a	00B5	μ MICRO SIGN ≈ 03BC μ greek small letter mu
00AB	« LEFT-POINTING DOUBLE ANGLE QUOTATION MARK = left guillemet = chevrons (in typography) • usually opening, sometimes closing → 226A « much less-than → 300A « left double angle bracket	00B6	¶ PILCROW SIGN = paragraph sign • section sign in some European usage → 204B ¶ reversed pilcrow sign → 2761 ¶ curved stem paragraph sign ornament → 2E3F ¶ capitulum
00AC	¬ NOT SIGN = angled dash (in typography) → 2310 ¬ reversed not sign → 2319 ¬ turned not sign	00B7	. MIDDLE DOT = midpoint (in typography) = Georgian comma = Greek middle dot (ano teleia) • also used as a raised decimal point or to denote multiplication; for multiplication 22C5 · is preferred • used as a vowel length mark (part of words) in many Amerindian orthographies → 002E . full stop → 02D9 · dot above → 0387 · greek ano teleia → 2022 • bullet → 2024 . one dot leader → 2027 · hyphenation point → 2219 • bullet operator → 22C5 · dot operator → 2E31 · word separator middle dot → 2E33 · raised dot → 30FB • katakana middle dot → A78F • latin letter sinological dot
00AD	SHY SOFT HYPHEN = discretionary hyphen • commonly abbreviated as SHY • an invisible format character indicating a possible hyphenation location	00B8	, CEDILLA • this is a spacing character • other spacing accent characters: 02D8 , -02DB , → 0327 ¸ combining cedilla ≈ 0020 [sp] 0327 ¸
00AE	® REGISTERED SIGN = registered trade mark sign (1.0) → 2122 ™ trade mark sign → 24C7 ® circled latin capital letter r → 1F16B ™ raised md sign → 1F16C ™ raised mr sign	00B9	¹ SUPERSCRIPT ONE → 00B2 ² superscript two → 00B3 ³ superscript three → 2070 ⁰ superscript zero ≈ <super> 0031 ¹
00AF	— MACRON = overline, APL overbar • this is a spacing character • unlike 203E —, adjacent instances of this character do not join → 02C9 — modifier letter macron → 0304 ᷇ combining macron → 0305 ᷈ combining overline → 203E — overline → FE26 ᷉ combining conjoining macron ≈ 0020 [sp] 0304 ᷇	00BA	º MASCULINE ORDINAL INDICATOR • Spanish → 1D52 º modifier letter small o → 2070 ⁰ superscript zero → 2116 № numero sign ≈ <super> 006F º
00B0	° DEGREE SIGN • this is a spacing character → 02DA ° ring above → 030A ᷊ combining ring above → 2070 ⁰ superscript zero → 2103 °C degree celsius → 2109 °F degree fahrenheit → 2218 ° ring operator	00BB	» RIGHT-POINTING DOUBLE ANGLE QUOTATION MARK = right guillemet • usually closing, sometimes opening → 226B » much greater-than → 300B » right double angle bracket
00B1	± PLUS-MINUS SIGN = biquintile (astrological aspect: 144°) → 2213 ± minus-or-plus sign → 22C7 ∗ division times		
00B2	² SUPERSCRIPT TWO = squared • other superscript digit characters: 2070 ⁰ – 2079 ⁹ → 00B9 ¹ superscript one ≈ <super> 0032 ²		
00B3	³ SUPERSCRIPT THREE = cubed → 00B9 ¹ superscript one ≈ <super> 0033 ³		

Vulgar fractions

The fraction bar for these may be rendered horizontally or at a slant. For other fraction characters, see 2150-215E.

00BC	$\frac{1}{4}$	VULGAR FRACTION ONE QUARTER ≈ <fraction> 0031 1 2044/ 0034 4
00BD	$\frac{1}{2}$	VULGAR FRACTION ONE HALF ≈ <fraction> 0031 1 2044/ 0032 2
00BE	$\frac{3}{4}$	VULGAR FRACTION THREE QUARTERS ≈ <fraction> 0033 3 2044/ 0034 4

Punctuation

00BF	⸮	INVERTED QUESTION MARK = turned question mark • Spanish → 003F ? question mark → 2E18 ⸚ inverted interrobang → 2E2E ⸛ reversed question mark
------	---	---

Uppercase letters

00C0	À	LATIN CAPITAL LETTER A WITH GRAVE ≡ 0041 A 0300 ð
00C1	Á	LATIN CAPITAL LETTER A WITH ACUTE ≡ 0041 A 0301 ó
00C2	Â	LATIN CAPITAL LETTER A WITH CIRCUMFLEX ≡ 0041 A 0302 ô
00C3	Ã	LATIN CAPITAL LETTER A WITH TILDE ≡ 0041 A 0303 õ
00C4	Ä	LATIN CAPITAL LETTER A WITH DIAERESIS ≡ 0041 A 0308 ö
00C5	Å	LATIN CAPITAL LETTER A WITH RING ABOVE → 212B Å angstrom sign ≡ 0041 A 030A ø
00C6	Æ	LATIN CAPITAL LETTER AE = latin capital ligature ae (1.1) → 04D4 Æ cyrillic capital ligature a ie
00C7	Ҫ	LATIN CAPITAL LETTER C WITH CEDILLA ≡ 0043 C 0327 Ӧ
00C8	È	LATIN CAPITAL LETTER E WITH GRAVE ≡ 0045 E 0300 ð
00C9	É	LATIN CAPITAL LETTER E WITH ACUTE ≡ 0045 E 0301 ó
00CA	Ê	LATIN CAPITAL LETTER E WITH CIRCUMFLEX ≡ 0045 E 0302 ô
00CB	Ë	LATIN CAPITAL LETTER E WITH DIAERESIS ≡ 0045 E 0308 ö
00CC	Ì	LATIN CAPITAL LETTER I WITH GRAVE ≡ 0049 I 0300 ð
00CD	Í	LATIN CAPITAL LETTER I WITH ACUTE ≡ 0049 I 0301 ó
00CE	Î	LATIN CAPITAL LETTER I WITH CIRCUMFLEX ≡ 0049 I 0302 ô
00CF	Ï	LATIN CAPITAL LETTER I WITH DIAERESIS ≡ 0049 I 0308 ö
00D0	Ð	LATIN CAPITAL LETTER ETH • lowercase is 00F0 ð → 0110 Ð latin capital letter d with stroke → 0189 Ð latin capital letter african d → A7C7 Ð latin capital letter d with short stroke overlay
00D1	Ñ	LATIN CAPITAL LETTER N WITH TILDE ≡ 004E N 0303 õ
00D2	Ӧ	LATIN CAPITAL LETTER O WITH GRAVE ≡ 004F O 0300 ð

00D3	Ó	LATIN CAPITAL LETTER O WITH ACUTE ≡ 004F O 0301 ó
00D4	Ô	LATIN CAPITAL LETTER O WITH CIRCUMFLEX ≡ 004F O 0302 ô
00D5	ӕ	LATIN CAPITAL LETTER O WITH TILDE ≡ 004F O 0303 õ
00D6	Ӧ	LATIN CAPITAL LETTER O WITH DIAERESIS ≡ 004F O 0308 ö

Mathematical operator

00D7	×	MULTIPLICATION SIGN = z notation Cartesian product → 0078 x latin small letter x → 2613 X saltire → 2715 × multiplication x → 2718 × heavy ballot x → 274C × cross mark → 2A2F × vector or cross product → 1F5D9 × cancellation x → 1F7A9 × light saltire
------	---	--

Uppercase letters

00D8	Ø	LATIN CAPITAL LETTER O WITH STROKE = o slash → 019F Ø latin capital letter o with middle tilde → 2205 Ø empty set → A74A Ø latin capital letter o with long stroke overlay
00D9	Ù	LATIN CAPITAL LETTER U WITH GRAVE ≡ 0055 U 0300 ð
00DA	Ú	LATIN CAPITAL LETTER U WITH ACUTE ≡ 0055 U 0301 ó
00DB	Û	LATIN CAPITAL LETTER U WITH CIRCUMFLEX ≡ 0055 U 0302 ô
00DC	Ü	LATIN CAPITAL LETTER U WITH DIAERESIS ≡ 0055 U 0308 ö
00DD	Ý	LATIN CAPITAL LETTER Y WITH ACUTE ≡ 0059 Y 0301 ó
00DE	Þ	LATIN CAPITAL LETTER THORN

Lowercase letters

00DF	ß	LATIN SMALL LETTER SHARP S = Eszett • German • not used in Swiss High German • uppercase is "SS" (standard case mapping), alternatively 1E9E ß • typographically the glyph for this character can be based on a ligature of 017F f with either 0073 s or with an old-style glyph for 007A z (the latter similar in appearance to 0292 ȝ). Both forms exist interchangeably today. → 017F f latin small letter long s → 0292 ȝ latin small letter ezh → 03B2 ß greek small letter beta → 1E9E ß latin capital letter sharp s → A7B5 ß latin small letter beta → A7D7 ȝ latin small letter middle scots s
00E0	à	LATIN SMALL LETTER A WITH GRAVE ≡ 0061 a 0300 ð
00E1	á	LATIN SMALL LETTER A WITH ACUTE ≡ 0061 a 0301 ó
00E2	â	LATIN SMALL LETTER A WITH CIRCUMFLEX ≡ 0061 a 0302 ô

00E3	ã	LATIN SMALL LETTER A WITH TILDE	<ul style="list-style-type: none"> • Portuguese <p>≡ 0061 a 0303 ã</p>
00E4	ä	LATIN SMALL LETTER A WITH DIAERESIS	<ul style="list-style-type: none"> • Portuguese, Estonian, Livonian <p>≡ 0061 a 0308 ä</p>
00E5	å	LATIN SMALL LETTER A WITH RING ABOVE	<ul style="list-style-type: none"> • Danish, Norwegian, Swedish, Walloon <p>≡ 0061 a 030A å</p>
00E6	æ	LATIN SMALL LETTER AE	<ul style="list-style-type: none"> = latin small ligature ae (1.1) = ash (from Old English æsc) • Danish, Norwegian, Icelandic, Faroese, Old English, French, IPA <p>→ 0153 æ latin small ligature oe → 04D5 æ cyrillic small ligature a ie → 1D02 æ latin small letter turned ae → AB31 æ latin small letter a reversed-schwa</p>
00E7	ç	LATIN SMALL LETTER C WITH CEDILLA	<ul style="list-style-type: none"> • Portuguese <p>≡ 0063 c 0327 ç</p>
00E8	è	LATIN SMALL LETTER E WITH GRAVE	<ul style="list-style-type: none"> • French, Italian, Malagasy <p>≡ 0065 e 0300 è</p>
00E9	é	LATIN SMALL LETTER E WITH ACUTE	<ul style="list-style-type: none"> • French, Italian, Malagasy <p>≡ 0065 e 0301 é</p>
00EA	ê	LATIN SMALL LETTER E WITH CIRCUMFLEX	<ul style="list-style-type: none"> • French, Italian, Malagasy <p>≡ 0065 e 0302 ê</p>
00EB	ë	LATIN SMALL LETTER E WITH DIAERESIS	<ul style="list-style-type: none"> • French, Italian, Malagasy <p>≡ 0065 e 0308 ë</p>
00EC	ì	LATIN SMALL LETTER I WITH GRAVE	<ul style="list-style-type: none"> • Italian, Malagasy <p>≡ 0069 i 0300 ì</p>
00ED	í	LATIN SMALL LETTER I WITH ACUTE	<ul style="list-style-type: none"> • French, Italian, Malagasy <p>≡ 0069 i 0301 í</p>
00EE	î	LATIN SMALL LETTER I WITH CIRCUMFLEX	<ul style="list-style-type: none"> • French, Italian, Malagasy <p>≡ 0069 i 0302 î</p>
00EF	ï	LATIN SMALL LETTER I WITH DIAERESIS	<ul style="list-style-type: none"> • French, Italian, Malagasy <p>≡ 0069 i 0308 ï</p>
00F0	ð	LATIN SMALL LETTER ETH	<ul style="list-style-type: none"> • Icelandic, Faroese, Old English, IPA • uppercase is 00D0 Ð <p>→ 0111 ð latin small letter d with stroke → 03B4 ð greek small letter delta → 1E9F ð latin small letter delta → 2202 ð partial differential → A77A ð latin small letter insular d</p>
00F1	ñ	LATIN SMALL LETTER N WITH TILDE	<ul style="list-style-type: none"> • Spanish, Portuguese, etc. <p>≡ 006E n 0303 ñ</p>
00F2	ò	LATIN SMALL LETTER O WITH GRAVE	<ul style="list-style-type: none"> • Portuguese, Spanish, etc. <p>≡ 006F o 0300 ò</p>
00F3	ó	LATIN SMALL LETTER O WITH ACUTE	<ul style="list-style-type: none"> • Portuguese, Spanish, etc. <p>≡ 006F o 0301 ó</p>
00F4	ô	LATIN SMALL LETTER O WITH CIRCUMFLEX	<ul style="list-style-type: none"> • Portuguese, Spanish, etc. <p>≡ 006F o 0302 ô</p>
00F5	õ	LATIN SMALL LETTER O WITH TILDE	<ul style="list-style-type: none"> • Portuguese, Estonian, Livonian <p>≡ 006F o 0303 õ</p>
00F6	ö	LATIN SMALL LETTER O WITH DIAERESIS	<ul style="list-style-type: none"> • Portuguese, Estonian, Livonian <p>≡ 006F o 0308 ö</p>

Mathematical operator

00F7	÷	DIVISION SIGN
	=	obelus
	•	occasionally used as an alternate, more visually distinct shape for a hyphen in some contexts
	•	historically used as a punctuation mark to denote questionable passages in manuscripts
	→	070B − syriac harklean obelus
	→	2052 % commercial minus sign
	→	2215 / division slash
	→	2223 divides
	→	2236 : ratio
	→	2797 ÷ heavy division sign
	→	27CC ÷ long division
	→	2E13 ÷ dotted obelos

Lowercase letters

00F8	ø	LATIN SMALL LETTER O WITH STROKE
	=	o slash
	•	Danish, Norwegian, Faroese, IPA
	→	0275 ø latin small letter barred o
	→	2300 ø diameter sign
	→	A74B ø latin small letter o with long stroke overlay
	→	A7C1 ø latin small letter old polish o
	→	AB3E ø latin small letter blackletter o with stroke
00F9	ù	LATIN SMALL LETTER U WITH GRAVE
	•	French, Italian
	≡	0075 u 0300 ù
00FA	ú	LATIN SMALL LETTER U WITH ACUTE
	≡	0075 u 0301 ú
00FB	û	LATIN SMALL LETTER U WITH CIRCUMFLEX
	≡	0075 u 0302 û
00FC	ü	LATIN SMALL LETTER U WITH DIAERESIS
	≡	0075 u 0308 ü
00FD	ý	LATIN SMALL LETTER Y WITH ACUTE
	•	Czech, Slovak, Icelandic, Faroese, Welsh, Malagasy
	≡	0079 y 0301 ý
00FE	þ	LATIN SMALL LETTER THORN
	•	Icelandic, Old English, phonetics
	•	Runic letter borrowed into Latin script
	•	replaced by "th" in modern English
	→	03F8 þ greek small letter sho
	→	16A6 þ runic letter thurisaz thurs thorn
	→	A7D3 þ latin small letter double thorn
00FF	ÿ	LATIN SMALL LETTER Y WITH DIAERESIS
	•	French, medieval Hungarian orthography
	•	uppercase is 0178 Ÿ
	≡	0079 y 0308 ÿ