# **CJK Symbols and Punctuation**

# Range: 3000-303F

This file contains an excerpt from the character code tables and list of character names for

The Unicode Standard, Version 17.0 BETA REVIEW DRAFT

This file may be changed at any time without notice to reflect errata, or other updates to the Unicode Standard. See https://www.unicode.org/errata/ for an up-to-date list of errata.

See https://www.unicode.org/charts/ for access to a complete list of the latest character code charts. See https://www.unicode.org/charts/PDF/Unicode-17.0/ for charts showing only the characters added in Unicode 17.0. See https://www.unicode.org/Public/17.0.0/charts/ for a complete archived file of character code charts for Unicode 17.0. See https://www.unicode.org/charts/About.html#Conventions for conventions used in these code charts, and other general information.

### Disclaimer

These charts are provided as the online reference to the character contents of the Unicode Standard, Version 17.0 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of The Unicode Standard, Version 17.0, online at https://www.unicode.org/versions/Unicode17.0.0/, as well as the Unicode Standard Annexes, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available online

## See https://www.unicode.org/ucd/ and https://www.unicode.org/reports/

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

### **Fonts**

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts.

See https://www.unicode.org/charts/fonts.html for a list.

# **Terms of Use**

© 1991–2025 Unicode, Inc. This publication is protected by copyright, and permission must be obtained from Unicode, Inc. prior to any reproduction, modification, or other use not permitted by the Terms of Use (https://www.unicode.org/copyright.html). Specifically, you may make copies of this publication and may annotate and translate it solely for personal or internal business purposes and not for public distribution, provided that any such permitted copies and modifications fully reproduce all copyright and other legal notices contained in the original. You may not make copies of or modifications to this publication for public distribution, or incorporate it in whole or in part into any product or publication without the express written permission of Unicode.

The Unicode Consortium specifically grants ISO a license to produce such code charts with their associated character names list to show the repertoire of characters for that standard, as a normatively referenced, integral part of that standard

Unicode uses most fonts under restricted license from the original font owner. You may not extract, copy, modify, or distribute fonts or font data from any Unicode Products, including this publication, without license from the font owner. Use of all Unicode Products, including this publication, is governed by the Unicode Terms of Use

(https://www.unicode.org/copyright.html). The authors, contributors, and publishers have taken care in the preparation of this publication, but make no express or implied representation or warranty of any kind and assume no responsibility or liability for errors or omissions or for consequential or incidental damages that may arise therefrom. This publication is provided "AS-IS" without charge as a convenience to users.

Unicode and the Unicode Logo are registered trademarks of Unicode, Inc., in the United States and other countries.

	300	301	302	303
0	3000	3010	3020	3030
1	3001	3011	3021	3030
2	O 3002	3012	3022	3032
3	3003	3013	3023	3033
4	3004	3014	3024	3034
5	3005	3015	3025	3035
6	3006	3016	3026	3036
7	3007	3017	3027	3037
8	3008	3018	3028	3038
9	3009	3019	<b>½</b> 3029	3039
Α	300A	301A	302A	₩ 303A
В	300B	301B	302B	303B
С	300C	301C	<b>ී</b> 302C	303C
D	300D	301D	302D	~\ 303D
Ε	300E	301E	• \( \)	[ <b>≆</b> ]
F	300F	301F	302F	303F
	JUUI	JU 11 <sup>-</sup>	JUZI	JUJI

300E

300F

LEFT WHITE CORNER BRACKET

RIGHT WHITE CORNER BRACKET

#### **CJK symbols and punctuation CJK brackets** LEFT BLACK LENTICULAR BRACKET RIGHT BLACK LENTICULAR BRACKET → 0020 sp space 3011 ≈ <wide> 0020 [sp] **CJK symbols** 3001 **IDEOGRAPHIC COMMA** 3012 〒 POSTAL MARK • in Chinese, delimits items in a list or series → 20B8 **T** tenge sign $\rightarrow$ 002C, comma $\rightarrow$ 2AE7 $\mp$ short down tack with overbar $\rightarrow$ FF0C, fullwidth comma → 1F3E3 🗐 japanese post office → FF64 、 halfwidth ideographic comma 3013 GETA MARK $\sim$ 3001 FE00 、 corner-justified form • substitute for ideograph not in font ~ 3001 FE01 > centered form • editorial convention to represent ideographic 3002 。 **IDEOGRAPHIC FULL STOP** $\rightarrow$ 002E. full stop $\rightarrow$ 25A1 $\square$ white square $\rightarrow$ FF0E. fullwidth full stop → 1F7F0 **=** heavy equals sign → FF61 o halfwidth ideographic full stop **CJK brackets** ~ 3002 FE00 。 corner-justified form ~ 3002 FE01 ° centered form 3014 LEFT TORTOISE SHELL BRACKET 3015 RIGHT TORTOISE SHELL BRACKET 3003 // **DITTO MARK** → 2033 " double prime 3016 LEFT WHITE LENTICULAR BRACKET 3004 (2) JAPANESE INDUSTRIAL STANDARD SYMBOL 3017 RIGHT WHITE LENTICULAR BRACKET 3018 LEFT WHITE TORTOISE SHELL BRACKET 3005 **IDEOGRAPHIC ITERATION MARK** → 206A4 々 → 27EC ( mathematical left white tortoise shell → 16FE0 3 tangut iteration mark ) 3019 RIGHT WHITE TORTOISE SHELL BRACKET 3006 **IDEOGRAPHIC CLOSING MARK** $\rightarrow$ 4F44 $\rightarrow$ → 27ED ) mathematical right white tortoise shell brackét 3007 IDEOGRAPHIC NUMBER ZERO LEFT WHITE SOUARE BRACKET 301A → 20DD ⑤ combining enclosing circle = left abstract syntax bracket $\rightarrow$ 25CB O white circle → 27E6 | mathematical left white square $\rightarrow$ 25EF $\bigcirc$ large circle bracket **CJK angle brackets** 301B RIGHT WHITE SQUARE BRACKET 3008 LEFT ANGLE BRACKET = right abstract syntax bracket → 27E7 mathematical right white square → 003C < less-than sign bracket → 2039 < single left-pointing angle quotation mark **CJK** punctuation → 2329 〈 left-pointing angle bracket 301C $\sim$ **WAVE DASH** → 27E8 ( mathematical left angle bracket This character was encoded to match JIS C 6226- $\rangle$ 3009 RIGHT ANGLE BRACKET 1978 1-33 "wave dash". → 003E > greater-than sign → 2053 ~ swung dash → 203A > single right-pointing angle quotation → 3030 \www wavy dash mark $\rightarrow$ FF5E $\sim$ fullwidth tilde → 232A > right-pointing angle bracket REVERSED DOUBLE PRIME QUOTATION MARK 301D → 27E9 ) mathematical right angle bracket • sometimes depicted as double prime 300A LEFT DOUBLE ANGLE BRACKET quotation mark → 00AB « left-pointing double angle quotation → 201C" left double quotation mark mark → 2036 " reversed double prime → 27EA 《 mathematical left double angle 301E **DOUBLE PRIME QUOTATION MARK** bracket • this is a mistaken analogue to 201D "; 301F > 300B » RIGHT DOUBLE ANGLE BRACKET is preferred → 00BB » right-pointing double angle → 201D" right double quotation mark → 2033" double prime quotation mark → 27EB » mathematical right double angle 301F > LOW DOUBLE PRIME QUOTATION MARK brackét • may be depicted as low inverse double prime **CJK corner brackets** quotation mark The CJK corner brackets, which function as auotation marks. **CJK symbol** are not recommended for general-purpose corner brackets. 3020 TO POSTAL MARK FACE See the ceiling and floor characters, instead. **Suzhou numerals** 300C LEFT CORNER BRACKET → 2308 [ left ceiling The Suzhou numerals (Chinese su1zhou1ma3zi) are special numeric forms used by traders to display the prices of goods. 300D RIGHT CORNER BRACKET The use of "HANGZHOU" in the names is a misnomer. → 230B | right floor

HANGZHOU NUMERAL ONE

HANGZHOU NUMERAL TWO

1

3022

3023	[1]	HANGZHOU NUMERAL THREE	S				
3024	X	HANGZHOU NUMERAL FOUR	T				
3025	8	HANGZHOU NUMERAL FIVE	fc				
3026	丄	HANGZHOU NUMERAL SIX	30				
		= yangqin sign slow one					
		<ul> <li>represents one half beat in the yangqin tempo marking system</li> </ul>					
		→ 16FF4 II. yangqin sign slow one beat	30				
3027	ᆣ	HANGZHOU NUMERAL SEVEN	31				
3028	≐	HANGZHOU NUMERAL EIGHT					
3029	文	HANGZHOU NUMERAL NINE					
Combining tone marks							
302A	়	IDEOGRAPHIC LEVEL TONE MARK					
302B	ఄ	IDEOGRAPHIC RISING TONE MARK					
302C	ೆ	IDEOGRAPHIC DEPARTING TONE MARK					
302D	<u>۾</u>	IDEOGRAPHIC ENTERING TONE MARK					
302E	•0	HANGUL SINGLE DOT TONE MARK = single dot Bangjeom					
302F	:0	HANGUL DOUBLE DOT TONE MARK					
		= double dot Bangjeom					
Other	·CJK	punctuation					
3030	$\sim$	WAVY DASH					
		→ 2307 { wavy line					
		$ ightarrow$ 301C $\sim$ wave dash					
	-	at marks					
	char	acters are only used in vertical writing of Japanese.					
3031	χ.	VERTICAL KANA REPEAT MARK					
3032	(	VERTICAL KANA REPEAT WITH VOICED SOUND MARK					
2022	)	• implemented as glyphs that are two-em tall					
3033 3034	/:	VERTICAL KANA REPEAT MARK UPPER HALF VERTICAL KANA REPEAT WITH VOICED SOUND					
JUJ4	/ `	MARK UPPER HALF					
		• implemented as glyphs that are one-em tall					
		and that combine with the following character to form ligated two-em glyphs for the					
		complete repeat marks					
3035	\	VERTICAL KANA REPEAT MARK LOWER HALF					
Other CJK symbols							
3036	$\bigcirc$	CIRCLED POSTAL MARK					
		= symbol for type B electronics					
		<ul> <li>not used as a postal mark</li> <li>→ 2B97 ▼ symbol for type a electronics</li> </ul>					
		≈ 3012 T postal mark					
3037	XX						
		SEPARATOR SYMBOL					
Addit	iona	l Suzhou numerals					
3038	+	HANGZHOU NUMERAL TEN					
		≈ 5341 <b>+</b>					
3039	#	HANGZHOU NUMERAL TWENTY					
303A	卅	≈ 5344 †† HANGZHOU NUMERAL THIRTY					
JUJA	711	≈ 5345 #					
Other	CIK						
Other CJK punctuation							

303B > VERTICAL IDEOGRAPHIC ITERATION MARK

• informal abbreviation for Japanese -masu

→ 29C4 🛮 squared rising diagonal slash

• marks the start of a song part in Japanese

# **Special CJK indicators**

These are visibly displayed graphic characters, not invisible format control characters.

303E 🙀 IDEOGRAPHIC VARIATION INDICATOR

 visual indicator that the following ideograph is to be taken as a variant of the intended character

303F ☑ IDEOGRAPHIC HALF FILL SPACE

• visual indicator of a screen space for half of an ideograph

303C MASU MARK

ending

303D \( \tau \) PART ALTERNATION MARK

Standardized Variation Sequences					
3001	`	IDEOGRAPHIC COMMA			
	3001				
	`	corner-justified form			
	3001 FE00				
	`	centered form			
3002	3001 FE01	IDEOCDADUIC FUIL CTOD			
	0	IDEOGRAPHIC FULL STOP			
	3002	corner-justified form			
	0	corner justified form			
	3002 FE00	centered form			
	3002 FE01				